



3.5 mm Mic/Headset 1-to-2 Adapter

Stereo, 3.5 mm (CTIA) Four-Position Female to 2 x 3.5mm Three-Position Male; 20 cm (8 in.); Black

Part No.: **354578**

High-quality connections that provide superior performance

The Manhattan 3.5 mm Mic/Headset 1-to-2 Adapter connects headphone/microphone combos with combined 3.5 mm, four-pin jacks to two three-pin ports for crisp, clear, error-free transmissions. Whether using with legacy headsets or the newest gaming headset, the Manhattan 3.5 mm Mic/Headset 1-to-2 Adapter is carefully engineered and constructed of quality materials, helping ensure maximum conductivity, minimal degradation and the highest performance from connected media devices.

Features:

- One 3.5 mm, four-pin stereo female to two 3.5 mm, three-pin, stereo male
- Allows Headset with Microphone and four-pin (position) jack to connect to a PC; supports both audio input and output
- Converts separate 3.5 mm, TRS headphone and microphone ports into a 3.5 mm, TRRS connection (this product is not a headphone splitter and will not split to 2 headphones)
- This cable uses CTIA pole configuration, which may result in only the earphones working—not the mic—when used with an OMTP configured device
- For use with headsets with a four-position jack when connecting to separate microphone and audio ports
- Heavy-gauge cable with PVC protective jacket
- Corrosion-resistant contacts for best data transmission
- Heavy-duty strain relief
- Lifetime Warranty

Specifications:

Standards and Certifications

- FCC
- CE
- RoHS2

General

- 28 AWG cable
- Housing: ABS plastic
- Weight: 31 g (1.1 oz.)
- Length: 20 cm (8 in.)

Connections

- One 3.5 mm stereo female connection, four-pin, TRRS, CTIA configuration: left audio, right audio, ground, mic
- Two 3.5 mm stereo male connection, three-pin, TRS headphone configuration: left audio, right audio, ground
microphone configuration: mic, not connected, ground
- Molded PVC boot

Operating Environment

- Operation Temperature: 32 – 104°F (0 – 40°C)
- Storage Temperature: -4 – 140°F (-20 – 60°C)
- Humidity (noncondensing): 5 – 90%

Package Contents

- 3.5 mm Mic/Headset 1-to-2 Adapter



