

3510IW-A tensión

Es un enchufe de una sola pieza de bajo voltaje y dos con respaldo adhesivo acepta placas frontales roscadas Panduit® o cualquier placa frontal estándar de una sola faja. Es para usar con el canal de perfil Pan-Way® T-45 o LD. .00" de largo x 3.26" de ancho x 1.62" de alto (127.1 mm mm x 41.1 mm). Tiene rupturas para conductos de 1/2", 1" de diámetro y está apagado de color blanco.



Presupuesto

Material	CLORURO DE POLIVINILO
Tipo de alcantarilla	Caja de salida Snap de dos piezas
Largo total (pulg.)	5
Longitud total (mm)	127
Ancho total (pulg.)	3.26









Altura total (pulg.)	1.62
Color	Blanquecino
tipo de producto	Baja tensión
CSA 22.2 No.62-93	Sí
UL5A listado	Sí
Tipo de apertura de pandillas	Single Gang
Potencia de caja de salida	Baja tensión
Tamaño de la caja de salida	Single Gang
Características de la parte	Caja de tomacorriente de una sola pieza, de dos piezas, con adhesivo. (L = 5,00 pulg. W = 3,26 pulg. H = 1,62 pulg.) La caja acepta placas frontales atornillables Pan-Way o cualquier placa frontal estándar de 70 mm NEMA estándar.
Estado de conformidad RoHS	Obediente
Min. Cantidad.	1









detalles del empaque

UPC	07498335394
Std. Pkg. Qty.	1
Std. Pkg. Volumen (cf)	0.0351
Std. Ctn. Qty.	10

Std. Ctn. Volumen (cf)	0.3514
------------------------	--------

Recursos

Catálogo de hojas cortadas	JBX3510 ** - Una hoja de corte de catálogo	Inglés americano	PDF 78.55KB (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510IW-A-Product-Page-200.pdf)  (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510IW-A-Product-Page-200.pdf) 
Guías de selección	Guía de selección de raceways para América del Norte: SRSG02	Inglés americano	PDF 1.12MB (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-SRSG02--WW-ENG-RacewaySelectionGuideNAW.pdf)  (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-SRSG02--WW-ENG-RacewaySelectionGuideNAW.pdf) 
Catálogos	Partes preferidas para la infraestructura de red	Inglés americano	PDF 1.66MB (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-NCCB91--SA-ENG-PrefPartsEntDCNetworkInfrastructureNA-W.pdf)  (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-NCCB91--SA-ENG-PrefPartsEntDCNetworkInfrastructureNA-W.pdf) 
Catálogo de hojas cortadas	JBX3510 ** - Una hoja de corte de catálogo	Inglés americano	PDF 318.58KB (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510IW-A-200.pdf)  (/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510IW-A-200.pdf) 

Documentos de instalación	Caja de conexiones de baja tensión de una sola barra Pan-Way: RW66C-ENG	Inglés americano	PDF 411.79KB	(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/N-RWPN-066--RevC--ENG.pdf)		(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/N-RWPN-066--RevC--ENG.pdf)	
Dibujos de piezas	Single Gang Low Voltage Junction Box: 37031-05	US English	PDF 174.92KB	(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510-200.pdf)		(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510-200.pdf)	
Part Drawings	Single Gang Low Voltage Junction Box: 37031-05	US English	DWG 673.42KB	(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510_37031-05.dwg)		(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/JBX3510_37031-05.dwg)	
Line Cards	Surface Raceway Line Card	US English	PDF 6.87MB	(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-SRLC01--WW-ENG-SurfaceRacewayOffering-W.pdf)		(/content/dam/panduit/en/products/assets/j/jb/jbx/jbx3/jbx3510iwa/media/D-SRLC01--WW-ENG-SurfaceRacewayOffering-W.pdf)	

Related Products



JB1DEI-A

Single gang one-piece deep outlet box with adhesive backing. Box accepts Pan-Way® Screw-On Faceplates or any NEMA standard single gang faceplate. For use with Pan-Way® LD profile raceway. 5.23in L x 3.48in W x 2.75in H (133.0mm x 88.5mm x 69.8mm). Breakouts for 1/2in, 3/4in , or 1in diameter conduit, Electric Ivory.

(/en/products/wire-routing-management-protection/surface-raceway-systems/surface-raceway-receptacles/jb1deia.html)



JB1DIW-A

Single gang one-piece deep outlet box with adhesive backing. Box accepts Pan-Way® Screw-On Faceplates or any NEMA standard single gang faceplate. For use with Pan-Way® LD profile raceway. 5.23in L x 3.48in W x 2.75in H (133.0mm x 88.5mm x 69.8mm). Breakouts for 1/2in, 3/4in , or 1in diameter conduit, International White.

(/en/products/wire-routing-management-protection/surface-raceway-systems/surface-raceway-receptacles/jb1diwa.html)



JB1EI-A

Single gang one-piece outlet box with adhesive backing. Box accepts Pan-Way® Screw-On Faceplates or any NEMA standard single gang faceplate. For use with Pan-Way® LD profile raceway. 5.09"L x 3.34"W x 1.75"H (129.4mm x 85.0mm x 44.4mm). Breakouts for 1/2", 3/4", or 1" diameter conduit.

(/en/products/wire-routing-management-protection/surface-raceway-systems/surface-raceway-receptacles/jb1eia.html)



Email Support

Email support available 24/7

(/en/support/contact-us.html)



01 800 460 86 00

Monday through Friday 8am-6pm

(tel:800-777-3300)



Where to Buy

Find a Panduit Distributor or Partner

(/en/support/where-to-buy/find-a-distributor.html)



GET OUR CATALOG

Download the PDF or request a copy
be mailed to you.

Which catalog would you like? ▼

▶ DOWNLOAD ▶ REQUEST COPY



(<https://www.facebook.com/Panduit>)



(<https://plus.google.com/+panduit>)



(<https://twitter.com/Panduit>)



(<https://www.youtube.com/user/PanduitVideos>)



(<http://us.linkedin.com/company/panduit>)

Copyright 2018 Panduit