

MEJOR VENDIDO



CJ688TGIW UTP Jack Module

El módulo de jack universal UTP Mini-Com® de categoría 6, RJ45, 8 posiciones y 8 cables tiene terminación estilo TG y está apagado en color blanco.



Presupuesto




Nivel de desempeño	Categoría 6
Estilo de terminación	Giga-TX (estilo TG)
Tipo de módulo	Mini-Com
Esquema de cableado	T568A / T568B
Temperatura máxima de almacenamiento (° C)	70
Temperatura máxima de almacenamiento (° F)	158
Temperatura mínima de almacenamiento (° C)	-40
Temperatura mínima de almacenamiento (° F)	-40















Color	Blanquecino
Material	ABS / policarbonato
Temperatura de funcionamiento	14 ° F a 149 ° F (-10 ° C a 65 ° C)
Estado de conformidad RoHS	Obediente
Min. Cantidad.	1















detalles del empaque













UPC	07498339550
Std. Pkg. Qty.	1
Std. Pkg. Volumen (cf)	0.0032
Std. Ctn. Qty.	50
Std. Ctn. Volume (cf)	0.1604

Resources

Reference Architecture	Pre-configured Industrial Distribution Frame Reference Design: PCD0010	US English	PDF 598.98KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0010-IDF--ENG.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0010-IDF--ENG.pdf) 
Application Guides	Plenum Network Infrastructure for In-Ceiling Applications: COAG01	US English	PDF 1.06MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COAG01--SA-ENG-PlenumNetInfraInCeilingAppW.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COAG01--SA-ENG-PlenumNetInfraInCeilingAppW.pdf) 

<p>System Warranty</p>	<p>Category 6 UTP Guaranteed Headroom Platform North America</p>	<p>US English</p>	<p>PDF 903.80KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL18--WW-ENG-CAT6UTP-HeadrmWarnty-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL18--WW-ENG-CAT6UTP-HeadrmWarnty-W.pdf) </p>
<p>System Warranty</p>	<p>Category 6 (TX6500) UTP Guaranteed Headroom Platform (North America): COFL19--WW-ENG</p>	<p>US English</p>	<p>PDF 772.08KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL19--WW-ENG-TX6500-HeadrmWarnty-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL19--WW-ENG-TX6500-HeadrmWarnty-W.pdf) </p>
<p>Part Drawings</p>	<p>Mini-Com TX6 PLUS UTP Jack Module: 02043-10</p>	<p>US English</p>	<p>DWG 70.57KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ688TG_.dwg)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ688TG_.dwg) </p>
<p>Product Bulletins</p>	<p>TG Termination Tool: COCB23--WW</p>	<p>US English</p>	<p>PDF 458.98KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COCB23--WW-ENG-TGTerminationTool-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COCB23--WW-ENG-TGTerminationTool-W.pdf) </p>
<p>Catalogs</p>	<p>Network Infrastructure for the Enterprise Preferred Parts – Australia</p>	<p>US English</p>	<p>PDF 1.02MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB61--SA-ENG-NtwrkInfrastructurAUS-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB61--SA-ENG-NtwrkInfrastructurAUS-W.pdf) </p>
<p>Catalogs</p>	<p>Preferred Parts Catalog for Mexico - Eng.</p>	<p>US English</p>	<p>PDF 6.30MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB64--WW-ENG-EnterPrefPartsMEX-WEB.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB64--WW-ENG-EnterPrefPartsMEX-WEB.pdf) </p>
<p>Part Drawings</p>	<p>Mini-Com Category 6 TX6 Jack Module with Straight Wire Cap Assembly</p>	<p>US English</p>	<p>PDF 207.48KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/C-COCJ688TGAW--ENG.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/C-COCJ688TGAW--ENG.pdf) </p>

<p>Selection Guides</p>	<p>Mini-Com Jack Module Selection Guide - "TG Style" Termination: COSG09</p>	<p>US English</p>	<p>PDF 473.91KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSG09--WW-ENG-JackModSelectionGuide.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSG09--WW-ENG-JackModSelectionGuide.pdf) </p>
<p>Specification Sheets</p>	<p>Mini-Com® TX6™ PLUS UTP Jack Modules</p>	<p>US English</p>	<p>PDF 239.47KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSP317--WW-ENG-MiniComTX6PLUSUTPJackModW.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSP317--WW-ENG-MiniComTX6PLUSUTPJackModW.pdf) </p>
<p>Part Drawings</p>	<p>Mini-Com TX6 PLUS UTP Jack Module: 02043-10</p>	<p>US English</p>	<p>DXF 424.65KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ688TG_.dxf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ688TG_.dxf) </p>
<p>Catalogs</p>	<p>Preferred Parts Catalog for Latin America-ENG</p>	<p>US English</p>	<p>PDF 6.26MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB63--WW-ENG-EnterPrefPartsLATAM-WEB.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB63--WW-ENG-EnterPrefPartsLATAM-WEB.pdf) </p>
<p>Selection Guides</p>	<p>Category 6 UTP Copper Cabling System Selection Guide</p>	<p>US English</p>	<p>PDF 1.07MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSG13--WW-ENG-Cat6UTPCopperSelectGde-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSG13--WW-ENG-Cat6UTPCopperSelectGde-W.pdf) </p>
<p>Certifications</p>	<p>Environmental Product Declaration Panduit RJ45 Jack Modules</p>	<p>US English</p>	<p>PDF 723.30KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-CORP140--WW-ENG-EPD-RJ45-ISO14025.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-CORP140--WW-ENG-EPD-RJ45-ISO14025.pdf) </p>
<p>Catalogs</p>	<p>Preferred parts for network infrastructure</p>	<p>US English</p>	<p>PDF 1.66MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB91--SA-ENG-PrefPartsEntDCNetworkInfrastructureNA-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB91--SA-ENG-PrefPartsEntDCNetworkInfrastructureNA-W.pdf) </p>

<p>Catalogs</p>	<p>Enterprise and Data Center Preferred Parts for Network Infrastructure: NCCB78--WW-ENG</p>	<p>US English</p>	<p>PDF 1.29MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB69--WW-ENG-EnterprisePrefPartsCatEMEA.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-NCCB69--WW-ENG-EnterprisePrefPartsCatEMEA.pdf) </p>
<p>System Warranty</p>	<p>Guaranteed Performance Beyond the Standards TX6000™ UTP Copper Cabling Systems : COFL13</p>	<p>US English</p>	<p>PDF 921.85KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL13--WW-ENG-CAT6UTP-HeadrmWarnty-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COFL13--WW-ENG-CAT6UTP-HeadrmWarnty-W.pdf) </p>
<p>Videos</p>	<p>TG Style Jack Module Termination</p>	<p>US English</p>	<p>MP4 36.80MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/M-COTGtermination--169-ENG.mp4)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/M-COTGtermination--169-ENG.mp4) </p>
<p>Catalog Cut Sheets</p>	<p>CJ688TGIW Product Page</p>	<p>US English</p>	<p>PDF 2.47MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ6X88TGIW%20Product%20Page1.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/CJ6X88TGIW%20Product%20Page1.pdf) </p>
<p>Specification Sheets</p>	<p>45° Angled Wire Caps for TX6A, TX6 PLUS TX5e Mini-Com® UTP Jack Modules: COSP406</p>	<p>US English</p>	<p>PDF 795.37KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSP406--SA-ENG-45DegreeWireCap-W.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-COSP406--SA-ENG-45DegreeWireCap-W.pdf) </p>
<p>Installation Documents</p>	<p>TX6 PLUS and TX5e UTP Jack Modules</p>	<p>US English</p>	<p>PDF 1.33MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/N-COPN403--RevN--ENG.pdf)  (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/N-COPN403--RevN--ENG.pdf) </p>

Reference Architecture	Deploying a Stratix 5700 Industrial Ethernet Switch on Machine Configuration Drawing: PCD0002	US English	<p>PDF 261.87KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0002-14JUL2014--ENG.pdf)</p> <p> (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0002-14JUL2014--ENG.pdf)</p> <p></p>
Certifications	RJ45 Jack Modules: Category 5e and Category 6 by Panduit Corporation	US English	<p>PDF 91.84KB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-CORP200--WW-ENG-HPDCat65eJackModules.pdf)</p> <p> (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/D-CORP200--WW-ENG-HPDCat65eJackModules.pdf)</p> <p></p>
Reference Architecture	Micro Data Center Reference Design: PCDD0007	US English	<p>PDF 1.00MB (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0007-05AUG2014--ENG.pdf)</p> <p> (/content/dam/panduit/en/products/assets/c/cj/cj6/cj68/cj688tgiw/media/Y-PCD0007-05AUG2014--ENG.pdf)</p> <p></p>

Related Products



CJ688TGBU

The Category 6, RJ45, 8-position, 8-wire, UTP Mini-Com® universal jack module has TG-style termination and is blue.

(/en/products/copper-systems/connectors/jack-modules/cj688tgbu.html)



CJ688TGBL

The Category 6, RJ45, 8-position, 8-wire, UTP Mini-Com® universal jack module has TG-style termination and is black.

(/en/products/copper-systems/connectors/jack-modules/cj688tgb.html)




CJS6X88TGY

Category 6A, RJ45, 10 Gb/s, 8-position, 8-wire universal shielded black module with integral shield.

[\(/en/products/copper-systems/connectors/jack-modules/cjs6x88tg.html\)](/en/products/copper-systems/connectors/jack-modules/cjs6x88tg.html)

 **Email Support**
Email support available 24/7

[\(/en/support/contact-us.html\)](/en/support/contact-us.html)

 **01 800 460 86 00**
Monday through Friday 8am-6pm

[\(tel:800-777-3300\)](tel:800-777-3300)

 **Where to Buy**
Find a Panduit Distributor or Partner

[\(/en/support/where-to-buy/find-a-distributor.html\)](/en/support/where-to-buy/find-a-distributor.html)



GET OUR CATALOG

Download the PDF or request a copy be mailed to you.

Which catalog would you like? ▼

▶ DOWNLOAD ▶ REQUEST COPY



(<https://www.facebook.com/Panduit>)



(<https://plus.google.com/+panduit>)



(<https://twitter.com/Panduit>)



(<https://www.youtube.com/user/PanduitVideos>)



(<http://us.linkedin.com/company/panduit>)

Copyright 2018 Panduit