



UTP6A7

Cordón de remiendo de cobre

Patch Cord UTP de categoría 6A, 10 Gb / s con conectores modulares TX6A™ 10Gig™ en cada extremo, blanco apagado, 7 pies



Presupuesto

Calibre del conductor (AWG)	24
Indicador del conductor (kcmil)	N / A
Nivel de desempeño	Categoría 6A / Clase EA
Tipo de conductor	Varado
Largo total (pulg.)	N / A
Longitud total (pies)	7
Largo total (m)	2.1
Longitud total (mm)	N / A
Diámetro nominal (mm)	N / A
Esquema de cableado	T568B
Temperatura de funcionamiento máxima (° C)	N / A

Temperatura de funcionamiento máxima (° F)	N / A
Temperatura de funcionamiento mínima (° C)	N / A
Temperatura de funcionamiento mínima (° F)	N / A
Temperatura máxima de almacenamiento (° C)	70
Temperatura máxima de almacenamiento (° F)	158
Temperatura mínima de almacenamiento (° C)	-40
Temperatura mínima de almacenamiento (° F)	-40
Color	Blanquecino
Sub marca	PanNet
Grado de inflamabilidad	CM
Estándares cumplidos	ANSI / TIA-568-C.2, ISO 11801 Clase EA, IEEE 802.3af, 802.3at, 802.3bt tipo 3 y tipo 4, UL 1863.
tipo de producto	Cordón de remiendo de cobre

Tipo de cable	U / UTP
Color del cable	Blanquecino
Longitud (pies)	7.00
Terminación final 1	Enchufe modular
Terminación final 2	Enchufe modular
Cumple con CE	Sí
Cable Nominal Diámetro Exterior (In)	0.28
Cable nominal Diámetro exterior (mm)	7.0
Color de arranque	Claro
Longitud del cable (ft)	7.00
Material del conductor	Cobre
Material	Cobre





Temperatura máxima de instalación (° C)	70
Temperatura de instalación máxima (° F)	158
Temperatura mínima de instalación (° C)	-40
Temperatura mínima de instalación (° F)	-40
Características de la parte	Tecnología MaTriX, garantía de espacio superior superior, diseño de cable flexible, enchufe central incrustado, cierre patentado sin enredos
Estado de conformidad RoHS	Obediente
Min. Cantidad.	1




detalles del empaque







UPC	07498312273
Std. Pkg. Qty.	1





Std. Pkg. Volume (cf)	0.0534
Std. Ctn. Qty.	10
Std. Ctn. Volume (cf)	0.5336

Resources

Application Notes	Deploying 10GBASE-T as the Low-Cost Patch to the Cloud: ZCAN03--WW-ENG	US English	PDF 808.71KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-ZCAN03--WW-ENG-10GBASE-TApplicationNote-W.pdf)
			 (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-ZCAN03--WW-ENG-10GBASE-TApplicationNote-W.pdf)
			
Specification Sheets	TX6A™ 10Gig™ UTP Patch Cords with Matrix Technology: COSP274--WW-ENG	US English	PDF 128.45KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSP274--WW-ENG-TX6A-10GigUTPPtchCrds-W.pdf)
			 (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSP274--WW-ENG-TX6A-10GigUTPPtchCrds-W.pdf)
			

Selection Guides	TX6A 10Gig UTP Copper Cabling System: COSG03--SA-ENG	US English	<p>PDF 191.49KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSG03--SA-ENG-TX6A10GigUTPSystem.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSG03--SA-ENG-TX6A10GigUTPSystem.pdf)</p> <p></p>
Certifications	ETL Report of Test Certificate UTP6A to TIA and ISO	US English	<p>PDF 41.06KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-CORP1--WW-ENG-ETLRepTestUTP6ATIA-ISO.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-CORP1--WW-ENG-ETLRepTestUTP6ATIA-ISO.pdf)</p> <p></p>
System Warranty	Category 6A Warranty	US English	<p>PDF 2.19MB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COFL20--WW-ENG-Cat6AUTPHdrmWarranty-W.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COFL20--WW-ENG-Cat6AUTPHdrmWarranty-W.pdf)</p> <p></p>

Part Drawings	TX6A 10GIG UTP Patch Cords (CMR) COUTP6A--ENG	US English	<p>PDF 378.63KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/C-COUTP6A--ENG.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/C-COUTP6A--ENG.pdf)</p> <p></p>
Technology Briefs	Decision to Install Cat 6A: COTB04--WW-ENG	US English	<p>PDF 295.00KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COTB04--WW-ENG-DecisiontoInstallCat6A.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COTB04--WW-ENG-DecisiontoInstallCat6A.pdf)</p> <p></p>
Certifications	ETL UTP6A REPORT OF TEST CERTIFICATE	US English	<p>PDF 41.17KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-CORP1--WW-ENG-ETLUTP6ATESTCERT.pdf)</p> <p> (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-CORP1--WW-ENG-ETLUTP6ATESTCERT.pdf)</p> <p></p>

Selection Guides	Patch Cord Selection Guide (All Regions): COSG11--WW-ENG	US English	PDF 292.58KB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSG11--WW-ENG-PatchCordSelectGuide.pdf)  (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COSG11--WW-ENG-PatchCordSelectGuide.pdf) 
System Warranty	Guaranteed Performance Beyond the Standards	US English	PDF 1.23MB (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COFL22--WW-ENG-AdvMatrixHdrmWarranty.pdf)  (/content/dam/panduit/en/products/assets/u/ut/utp/utp6/utp6a7/media/D-COFL22--WW-ENG-AdvMatrixHdrmWarranty.pdf) 

Related Products



UTPSP7BUY

Category 6, UTP patch cord with TX6™ PLUS Modular Plugs on each end. Blue, 7 ft.

[\(/en/products/copper-systems/patch-cords-accessories/patch-cords/utpsp7buy.html\)](/en/products/copper-systems/patch-cords-accessories/patch-cords/utpsp7buy.html)



UTPSP2MBUY

Category 6, UTP patch cord with TX6™ PLUS Modular Plugs on each end. Blue, 2 meters.

(/en/products/copper-systems/patch-cords-accessories/patch-cords/utpsp2mbuy.html)



UTPSP5BUY

Category 6, UTP patch cord with TX6™ PLUS Modular Plugs on each end. Blue, 5 ft.

(/en/products/copper-systems/patch-cords-accessories/patch-cords/utpsp5buy.html)



Email Support

Email support available 24/7

(/en/support/contact-us.html)



01 800 460 86 00

Monday through Friday 8am-6pm

(tel:800-777-3300)



Where to Buy

Find a Panduit Distributor or Partner

(/en/support/where-to-buy/find-a-distributor.html)



GET OUR CATALOG

Download the PDF or request a copy be mailed to you.

Which catalog would you like? ▼

▶ DOWNLOAD ▶ REQUEST COPY



(<https://www.facebook.com/Panduit>)



(<https://plus.google.com/+panduit>)



(<https://twitter.com/Panduit>)



(<https://www.youtube.com/user/PanduitVideos>)



(<http://us.linkedin.com/company/panduit>)

Copyright 2018 Panduit